	Equipped for	Model		SL-19 DSBI+
100% Pixel fault-free		SCREEN	Screen size	47 cm (19")
ИВ-Т2 НО			alphatronics 178°/ 178° wide-angle display	LED display
			Image format	16:9 Widescreen
Ipha ViEW	alpha		Resolution	1366 x 768
	alpha		Contrast ratio	3000:1
•	•		Brightness value	300 cd/m ²
Ipha Audio	alpha		Response time	< 5 ms
			Viewing angle	178 H, 178 V
		TUNER	PAL B/G, NTSC, SECAM	•
		SOUND	Music output / Watt	2 x 5 W
diplot			Integrated speakers	•
			Stereo sound	•
			alphatronicsAUDIO+	•
		CONNECTIONS	TV tuner	•
Helgestelle a Describer	5		2x HDMI connections	•
Intergretated in Decisional			AV in / AV out	•
estimate est	• ######## 6		Headphones (3.5 mm)	٠
122	ophetronics		YPbPR connection (3.5 mm)	•
		Digital Coaxial Out	•	
	Harpertuil to Cautoritated		10.8 - 26 V DC supply voltage	•
	aptorements Aptorements - Gratifie are Deviat Constrained Constrained on the instrained		External power supply 100 - 240 V AC, 12 DC	•
21	Norm. an insurance of an annual to balance instrumental the insurance of the annual terms.	alphatronicsSound	Integrated Bluetooth 4.2 module	•
			Pairing via OSD menu	•
		TUNER	Triple tuner (DVB-S2, DVB-T2 HD, DVB-C Tuner – HDTV PEG2/4)	•
			Integrated display of the quality level (DVB-S2)	•
			Cl+ slot (Common Interface)	•
			Electronic Programme Guide (EPG)	•
<u>↓</u> ↓↓↓↓			Favourites list	•
			Parental control	•
		PhotoViewer	USB 2.0 connection / Media player (PVR feature can be retrofitted)	•
		THOLOVIEWEI	2x USB 2.0 connections / media player (if VK readure can be retronticed)	
			can be retrofitted)	•
<u></u> ╋╋╋╋╋╋		DVD player	Laterally integrated DVD player	•
	HIT TELEVISION	brb piajoi	Formats: CD, DVD, VCD, MP3, DVD-R, DVD-RW, DivX, JPEG	•
		Internet	alphatronics Basic Smart feature (DSBI+)	•
		Kathrein control		• -K
		FEATURES	Automatic station search storage	
		FEATURES		•
S.SMART-			Max. TV programme slots	
			Videotext TOP (100 pages)	•
alphatron	cs		Image modes - number	4
			Sound modes - number	5
			Sleep timer	•
			Graphical OSD menu (multilingual)	•
Linux operating system Web browser		GENERAL	Power consumption	Operation < 19 W (max Standby < 0.5 W
Preinstalled apps DLNA, Miracast Mirroring			Weight	With base 2.9 kg Without base 2.6 kg
DLNA, Miracast Mirroring		Dimensions (W x H x D in mm)	438	
🛞 Blue	:00th 4.2			With base 438 x 308 x 175
Bluetooth 4.2 - for even f	aster connection			Without base 438 x 275 x 50
			Housing colour	Brushed anthracite
establishment, for more r and less consumption (lov			HD Ready / Full HD	•
establishment, for more r and less consumption (lov alphatronics TV can send			V72 V Ctondovd (100 v 100)	
establishment, for more r and less consumption (lov alphatronics TV can send Bluetooth or play the mus			VESA Standard (100 x 100 mm)	•
establishment, for more r and less consumption (lov alphatronics TV can send			VESA Standard (100 x 100 mm) Energy efficiency class On/off switch	• A

	Equipped for	Model		SL-22 DSBI+
1UU% Pixel fault-free		SCREEN	Screen size	55 cm (22")
ИВ-Т2 НО			alphatronics 178°/ 178° wide-angle display	LED display
			Image format	16:9 Widescreen
Ipha ViEW	alpha		Resolution	1920 x 1080 Full-H
			Contrast ratio	1,000:1
			Brightness value	350 cd/m ²
Ipha AUDIO	+ alpha		Response time	< 5 ms
		TUNED	Viewing angle	178 H, 178 V
		TUNER	PAL B/G, NTSC, SECAM	• •
		SOUND	Music output / Watt	2 x 5 W
diphotoni			Integrated speakers	٠
			Stereo sound	•
-			alphatronicsAUDIO+	•
	× S	CONNECTIONS	TV tuner	•
Wighth & Deadler with the first of the firs	ŤOŤ		2x HDMI connections	•
			AV in / AV out	•
	energia di		Headphones (3.5 mm)	٠
	2.		YPbPR connection (3.5 mm)	•
	••••••		Digital Coaxial Out	•
	Perspective and the second sec		10.8 - 26 V DC supply voltage	•
	anglinkeymmen - Geriffe an Deligit Disantinange Contin die Tes antenaue		External power supply 100 - 240 V AC, 12 DC	•
21	an iteratignation that and an annual to back the Annual sector and the sector an	alphatronicsSound	Integrated Bluetooth 4.2 module	•
			Pairing via OSD menu	•
		TUNER	Triple tuner (DVB-S2, DVB-T2 HD, DVB-C Tuner - HDTV MPEG2/4)	٠
			Integrated display of the quality level (DVB-S2)	٠
			CI+ slot (Common Interface)	•
	a purchase and		Electronic Programme Guide (EPG)	•
<u></u> <u></u> ↓ ↓ ↓ ↓ ↓ ↓ ↓ ↓ ↓ ↓ ↓ ↓ ↓			Favourites list	•
			Parental control	•
		PhotoViewer	USB 2.0 connection / Media player (PVR feature can be retrofitted)	•
		DVD player	2x USB 2.0 connections / media player	•
			(PVR feature can be retrofitted)	•
			Laterally integrated DVD player	•
			Formats: CD, DVD, VCD, MP3, DVD-R, DVD-RW, DivX, JPEG	•
		Internet	alphatronics Basic Smart feature (DSBI+)	•
		Kathrein control		• -K
		FEATURES	Automatic station search storage	•
		TEATORES	Max. TV programme slots	999
ST.SMART.	EURC		Videotext TOP (100 pages)	
a 🖾 🗔			Image modes - number	•
alphatro	nics		-	
			Sound modes - number	5
			Sleep timer	٠
			Graphical OSD menu (multilingual)	•
Linux operating system Web browser		GENERAL	Power consumption	Operation < 24 W (max Standby < 0.5 W
Orginatellad anno			Weight	With base 3.7 kg
Preinstalled apps				Without base 3.4 kg
DLNA, Miracast Mirrorin	g			
	g		Dimensions (W x H x D in mm)	503 <u>503</u>
			Dimensions (W x H x D in mm)	312 With base 503 x 345 x 175
DLNA, Miracast Mirrorin	tooth [°] 4.2		Dimensions (W x H x D in mm)	With base 503 x 345 x 175 Without base
DLNA, Miracast Mirrorin	tooth 4.2			312 With base 503 x 345 x 175 Without base 503 x 312 x 52
DLNA, Miracast Mirrorin Bluetooth 4.2 - for even establishment, for more r and less consumption (lo	faster connection range (up to 100m) w energy). The		Housing colour	With base 503 x 345 x 175 Without base 503 x 312 x 52 Brushed anthracite
DLNA, Miracast Mirrorin Bluetooth 4.2 - for even establishment, for more r and less consumption (lo alphatronics TV can send	faster connection range (up to 100m) w energy). The the sound signal via		Housing colour HD Ready / Full HD	312 With base 503 x 345 x 175 Without base 503 x 312 x 52
DLNA, Miracast Mirrorin Bluetooth 4.2 - for even establishment, for more r and less consumption (lo alphatronics TV can send Bluetooth or play the mu	faster connection range (up to 100m) w energy). The the sound signal via		Housing colour HD Ready / Full HD VESA Standard (100 x 100 mm)	With base 503 x 345 x 175 Without base 503 x 312 x 52 Brushed anthracite • / Full HD •
DLNA, Miracast Mirrorin Bluetooth 4.2 - for even establishment, for more r and less consumption (lo alphatronics TV can send	faster connection range (up to 100m) w energy). The the sound signal via		Housing colour HD Ready / Full HD	With base 503 x 345 x 175 Without base 503 x 312 x 52 Brushed anthracite

	Equipped for	Model		SL-24 DSBI+
LUU /o Pixel fault-free		SCREEN	Screen size	60 cm (24")
VB-T2 HD			alphatronics 178°/ 178° wide-angle display	LED display
			Image format	16:9 Widescreen
alpha ViEW	alpha		Resolution	1920 x 1080 Full-H
	alpharsound		Contrast ratio	1,000:1
			Brightness value	300 cd/m ²
	+ alpha		Response time	< 5 ms
		TUNED	Viewing angle	178 H, 178 V
		TUNER	PAL B/G, NTSC, SECAM	•
		SOUND	Music output / Watt	2 x 5 W
diphotom			Integrated speakers	•
			Stereo sound	•
		0000050710000	alphatronicsAUDIO+	•
	× C	CONNECTIONS	TV tuner	•
Wighth & Deadler	*0*		2x HDMI connections	•
			AV in / AV out	•
	elemente di	- 6	Headphones (3.5 mm)	•
	3		YPbPR connection (3.5 mm)	٠
	••••••		Digital Coaxial Out	•
	Hargenheit is Charlos Mand Institute fully for the state theory		10.8 - 26 V DC supply voltage	•
	explorations - Golde on Detail Sectore provide an interactioner Linear		External power supply 100 - 240 V AC, 12 DC	•
		alphatronicsSound	Integrated Bluetooth 4.2 module	•
			Pairing via OSD menu	•
		TUNER	Triple tuner (DVB-S2, DVB-T2 HD, DVB-C Tuner - HDTV MPEG2/4)	٠
			Integrated display of the quality level (DVB-S2)	٠
			CI+ slot (Common Interface)	٠
			Electronic Programme Guide (EPG)	•
			Favourites list	•
			Parental control	•
		PhotoViewer	USB 2.0 connection / Media player (PVR feature can be retrofitted)	•
			2x USB 2.0 connections / media player	•
			(PVR feature can be retrofitted)	
		DVD player	Laterally integrated DVD player	•
			Formats: CD, DVD, VCD, MP3, DVD-R, DVD-RW, DivX, JPEG	•
		Internet	alphatronics Basic Smart feature (DSBI+)	•
		Kathrein control		• -K
		FEATURES	Automatic station search storage	•
			Max. TV programme slots	999
IN.	870			
SUSMAR			Videotext TOP (100 pages)	•
Standard Standard			Videotext TOP (100 pages) Image modes - number	• 4
alphan			Image modes - number	4
alphan			Image modes - number Sound modes - number	4
Linux operating system Web browser		GENERAL	Image modes - number Sound modes - number Sleep timer	4 5 •
		GENERAL	Image modes - number Sound modes - number Sleep timer Graphical OSD menu (multilingual)	4 5 • Operation < 23 W (max
Web browser Preinstalled apps		GENERAL	Image modes - number Sound modes - number Sleep timer Graphical OSD menu (multilingual) Power consumption	4 5 • Operation < 23 W (max Standby < 0.5 W With base 4.2 kg
Web browser Preinstalled apps	ng	GENERAL	Image modes - number Sound modes - number Sleep timer Graphical OSD menu (multilingual) Power consumption Weight	4 5 0peration < 23 W (ma Standby < 0.5 W With base 4.2 kg Without base 3.9 kg 552 340 With base 552 x 373 x 175
Web browser Preinstalled apps DLNA, Miracast Mirrori	ng etooth° 4.2	GENERAL	Image modes - number Sound modes - number Sleep timer Graphical OSD menu (multilingual) Power consumption Weight	4 5 Operation < 23 W (ma Standby < 0.5 W With base 4.2 kg Without base 3.9 kg 340 With base 552 x 373 x 175 Without base
Web browser Preinstalled apps DLNA, Miracast Mirrori Bluetooth 4.2 - for ever	ng etooth° 4.2	GENERAL	Image modes - number Sound modes - number Sleep timer Graphical OSD menu (multilingual) Power consumption Weight Dimensions (W x H x D in mm)	4 5 • Operation < 23 W (max Standby < 0.5 W With base 4.2 kg Without base 3.9 kg 552 340 With base 552 x 373 x 175 Without base 552 x 373 x 175
Web browser Preinstalled apps DLNA, Miracast Mirrori Bluetooth 4.2 - for ever establishment, for more	ng etooth° 4.2 n faster connection e range (up to 100m)	GENERAL	Image modes - number Sound modes - number Sleep timer Graphical OSD menu (multilingual) Power consumption Weight Dimensions (W x H x D in mm)	4 5 0peration < 23 W (ma Standby < 0.5 W With base 4.2 kg Without base 3.9 kg 552 340 With base $552 \times 373 \times 175$ Without base $552 \times 340 \times 52$ Brushed anthracite
Web browser Preinstalled apps DLNA, Miracast Mirrori Bluetooth 4.2 - for ever establishment, for more and less consumption (la alphatronics TV can sen	ng etooth u.2 n faster connection e range (up to 100m) ow energy). The d the sound signal via	GENERAL	Image modes - number Sound modes - number Sleep timer Graphical OSD menu (multilingual) Power consumption Weight Dimensions (W x H x D in mm) Housing colour HD Ready / Full HD	4 5 • Operation < 23 W (max Standby < 0.5 W With base 4.2 kg Without base 3.9 kg 552 340 With base 552 x 373 x 175 Without base 552 x 373 x 175
Web browser Preinstalled apps DLNA, Miracast Mirrori Bluetooth 4.2 - for ever establishment, for more and less consumption (la alphatronics TV can sen Bluetooth or play the mi	ng etooth u.2 n faster connection e range (up to 100m) ow energy). The d the sound signal via	GENERAL	Image modes - number Sound modes - number Sleep timer Graphical OSD menu (multilingual) Power consumption Weight Dimensions (W x H x D in mm) Housing colour HD Ready / Full HD VESA Standard (100 x 100 mm)	4 5 • Operation < 23 W (max Standby < 0.5 W With base 4.2 kg Without base 3.9 kg 552 340 With base 552 x 373 x 175 Without base 552 x 373 x 175 Without base 552 x 340 x 52 Brushed anthracite • / Full HD
Web browser Preinstalled apps DLNA, Miracast Mirrori Bluetooth 4.2 - for ever establishment, for more and less consumption (la alphatronics TV can sen	ng etooth u.2 n faster connection e range (up to 100m) ow energy). The d the sound signal via	GENERAL	Image modes - number Sound modes - number Sleep timer Graphical OSD menu (multilingual) Power consumption Weight Dimensions (W x H x D in mm) Housing colour HD Ready / Full HD	4 5 0peration < 23 W (max Standby < 0.5 W With base 4.2 kg Without base 3.9 kg 552 340 With base $552 \times 373 \times 175$ Without base $552 \times 340 \times 52$ Brushed anthracite

Equipped for	Model		SL-32 DSBI+
	SCREEN	Screen size	80 cm (32")
		alphatronics 178°/ 178° wide-angle display	LED display
		Image format	16:9 Widescreen
lpha ViEW alpha sound		Resolution	1920 x 1080 Full-HD
		Contrast ratio	3000:1
		Brightness value	200 cd/m ²
lpha AUDIO+ alpha LINK		Response time	< 8 ms
		Viewing angle	178 H, 178 V
	TUNER	PAL B/G, NTSC, SECAM	•
	SOUND	Music output / Watt	2 x 5 W
		Integrated speakers	•
		Stereo sound	•
	00000000000	alphatronicsAUDIO+	•
	CONNECTIONS	TV tuner 2x HDMI connections	•
		AV in / AV out	•
		Headphones (3.5 mm)	•
		YPbPR connection (3.5 mm)	•
		Digital Coaxial Out	•
		10.8 - 26 V DC supply voltage	•
		External power supply 100 - 240 V AC, 12 DC	•
	alphatronicsSound	Integrated Bluetooth 4.2 module	•
		Pairing via OSD menu	•
	TUNER	Triple tuner (DVB-S2, DVB-T2 HD, DVB-C Tuner – HDTV MPEG2/4)	•
		Integrated display of the quality level (DVB-S2)	•
		CI+ slot (Common Interface)	•
		Electronic Programme Guide (EPG)	•
		Favourites list	•
		Parental control	•
	PhotoViewer	USB 2.0 connection / Media player (PVR feature can be retrofitted)	٠
		2x USB 2.0 connections / media player (PVR feature can be retrofitted)	٠
alphatronics	DVD player	Laterally integrated DVD player	•
		Formats: CD, DVD, VCD, MP3, DVD-R, DVD-RW, DivX, JPEG	٠
	Internet	alphatronics Basic Smart feature (DSBI+)	•
	Kathrein control		-
inux operating system	FEATURES	Automatic station search storage	•
Neb browser Preinstalled apps		Max. TV programme slots	999
DLNA, Miracast Mirroring		Videotext TOP (100 pages)	٠
,		Image modes - number	4
		Sound modes - number	5
		Sleep timer	•
		Graphical OSD menu (multilingual)	Onemation (20 W (may)
Bluetooth Bluetooth	GENERAL	Power consumption	Operation < 36 W (max.) Standby < 0.5 W
		Weight	With base 7.5 kg Without base 5.7 kg
luetooth 4.2 - for even faster connection		Dimensions (W x H x D in mm)	
stablishment, for more range (up to 100m) nd less consumption (low energy). The Iphatronics TV can send the sound signal via Iluetooth or play the music from the mobile			438 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2
phone on the TV.			With base 728 x 468 x 185
			Without base 728 x 428 x 55
		Housing colour	High-gloss black
		HD Ready / Full HD	• / Full HD
		VESA Standard (100 x 100 mm)	• 100 x 200 mm
		Energy efficiency class	A
		Energy efficiency class On/off switch	A

AV adapter, automotive 12 volt cables, batteries, operating instructions